

# BOOKBINDERS FINISHING TOOLS



### **TALAS**

330 Morgan Ave BK NY 212-219-0770 | info@talasonline.com www.talasonline.com

#### **CONTENTS**



HANDTOOLS PAGE 4 - 22 AND 79 - 82




STUDENT SET &
MINIATURE BOOK SET
PAGE 91





DECORATIVE WHEELS, FILLETS & PALLETS PAGE 25 - 41 AND 83 - 87







HANDLE LETTERS PAGE 74

FINISHING STOVE 95
TYPE HOLDERS 73
BRASS DIES 75
TYPE STYLE INDEX 76
ORDERING 94



#### INTRODUCTION

P & S Engraving was formed in 1980 by myself Brian Skilton and partner Roy Pettitt. We had both served our apprenticeships and worked together for a local engraving firm from the early sixties. We were probably the last apprentices to learn the skills of relief engraving from some of the fine craftsmen who had worked in the trade since the 1920's.

Our working methods have had to change in recent years, using more modern equipment and materials, to enable us and our staff to provide a better service and keep our prices at an affordable level. The main objective always being to produce the highest quality tools possible, to help you, the bookbinder, restorer, teacher or student to safeguard the books of the world for future generations and keep the ancient craft of bookbinding alive.

This long overdue catalogue replaces our outdated one and shows a vastly increased range of designs and type styles to help you when planning new bindings or assist with restorations. We have tried to explain our products clearly in the following pages, but are always ready to give further advice if required.

Shortly after starting P & S Engraving the bookbinder and teacher Daphne Beaumont -Wright approached us regarding some special tools for her students at Guildford. We were pleased to be able to reproduce the tools required and she has been a friend and patron to this day. When asked to write a 'few words' of introduction she produced the wonderful letter which we have reproduced at the end of the catalogue, P 77.

In more recent years we have engraved tools for Bernard Middleton. On a recent visit to his bindery we examined his large collection of tools and he demonstrated some of the finer points of tooling. This has helped us to 'fine tune' some aspects of our tools which should ease their use and help to produce better results.

He has also been kind enough to write a few words here on our behalf.


Finishing tool engravers are important to virtually all craft binders, highly competent engravers are <u>very</u> important, and if they happen to be in addition, very friendly, co-operative people one desperately hopes that they will flourish and survive so that they can continue to satisfy our needs. Bearing all this in mind, I welcome Roy Pettitt and Brian Skilton's new, enlarged catalogue which provides encouraging evidence that they are indeed flourishing, and that their customers need not worry about having to look elsewhere.

As one who restores leather bindings and also rebinds early books in period styles, I welcome the inclusion of intaglio hand tools and rolls, a feature I have seen in no other catalogues. Also new, is the straight-grain pallet (p24). Originally, this was used early in the 19th century when the boards of calf-bound books were crushed, one at a time, in a standing-press, with straight-grain plates, and the pattern needed to be carried over the spine. Now, when ungrained new leather is used to repair the joints, the tool can be heated and impressed across the new leather so that it can be blended in with the old.

(continued p76)

#### igoplus


#### HAND TOOLS



Our handtools are deeply engraved on hard brass, with extra thick heads for better heat retention. The outside forms are cut closely to the design in order to improve sighting. All of our handtools now have a domed face which greatly aids 'putting the tool down', whilst giving more 'life' to the binding than a flat tool can.

The past eighteen years has seen a huge increase in the number of handtools for which we have produced masters. Over 1300 are now gathered together in the following pages. Although not arranged strictly in chronological order they have been grouped in similar types to make comparison and selection easier, i.e. all the small leaf tools have been put on the facing page, a selection of Intaglio tools follows for blind tooling. There are some interesting Art Nouveau tools and authentic Napoleonic designs. Most of our corner tools have been arranged on a double page and are shown in pairs to help visualize centre designs that can be built up. Finally there are several pages of modern and emblematic tools.

All tools can be reduced or enlarged (please state the required height of pattern in mms or inches), an adjustment to the price may sometimes be necessary, please enquire. We realize that however many designs we show there will always be a need for special designs and exact copies for restoration. These can be made from artworks, good photocopies, photographs, slides, original bindings or fragments of leather. A quotation will be given on sight of artwork.







Ò	6	6	<b>A</b>	$\bigcirc$		۵	۵	۵	⇧
HT350/A	HT351/A	HT352/A	HT353/A	нт354/а	HT355/A	нт356/а	HT357/A	RT358/A	HT359/A
4	۵	4	•	Φ	0	0	0	4	ð
нт360/а	HT361/A	HT362/A	KT363/A	нт364/д	нт365/д	HT366/A	HT367/A	нт368/а	HT369/A
<b>\</b>		Λ			Å	0	$\triangle$	Ş	•
HT370/A	нт371/а	HT372/A	HT373/A	HT374/A	нт375/А	нт376/а	HT377/A	нт378/а	HT379/A
*	•	۵	۵	Q	Ø	•			
нт380/а	HT381/A	нт382/а	HT383/A	HT384/A	HT385/A	HT386/A	HT387/A	нт388/а	HT389/A
\$	7	$\bigvee$	1	Y	ð	Ø	\$	1	•
HT390/A	нт391/а	нт392/а	HT393/A	HT394/A	HT395/A	нт396/д	нт397/а	6T398/A	нт399/а
W	<b>9</b> 2		ŵ			A			
нт400/в	нт401/в	нт402/в	нт403/в	нт404/в	HT405/B	нт406/в	нт407/в	ят408/в	нт409/в
36B			W			X	**		
нт410/в	нт411/в	нт412/в	нт413/в	HT414/A	нт415/в	нт416/в	HT417/A	HT418/A	нт419/в
W	M	紫							
нт420/в	нт421/в	нт422/в	нт423/в	нт424/в	нт425/в	нт426/в	нт427/в	нт428/в	нт429/в
		\$		0		Ü	$\S$		
нт430/а	HT431/A	нт432/в	нт433/в	eT434/A	нт435/в	нт436/а	нт437/в	нт438/в	нт439/в
A)	<b>93</b>					\$	ş	30	*
нт440/в	нт441/в	нт442/в	нт443/в	нт444/в	нт445/в	H <b>T44</b> 6/A	HT447/A	нт448/в	нт449/а
	Ť	<b>v</b>	A)E		<b>®</b>	Û	*	@	<del>(1)</del>
нт450/в	нт451/а	HT452/A	нт453/в	нт454/в	нт455/в	нт456/в	нт457/в	HT458/A	нт459/в























RT506/N



нт507к





















нт509/н

HT510/G

HT511/€

HT512/F


HT513/E


HT514/E

нт515/€


HT516/D

HT517/E







#### **(**











**(** 





HT948/E HT949/E HT950/E HT951/E HT952/D HT953/D HT954/D HT955/D HT956/E HT957/E HT958/D HT959/D HT960/D HT961/D





new\_pages.indd 13 12/10/2017 16:04












HT1324/F

HT1325/D

HT1326/D

HT1322/D

RT1323/D



HT1374/B HT1375/B HT1376/B HT1377/B HT1378/B HT1379/A HT1380/A HT1381/A HT1382/A HT1383/A HT1384/A HT1385/A
























нт1387/с

ят1388/с

нт1389/в








12/10/2017 16:04 new\_pages.indd 18





new\_pages.indd 19 12/10/2017 16:04


HT1473/A HT1474/A HT1475/A HT1476/A HT1477/A HT1478/A HT1479/A HT1480/A HT1481/A HT1482/A HT1483/A





#### **(**

### **HAND TOOLS**



new\_pages.indd 21 12/10/2017 16:04

HT1621/J

HT1622/6

HT1623/G


нт1624/⊅

нт1618/г нт1619/г нт1620/с


вт1615/6 нт1616/ε

нт1617/ξ






### SPECIAL FINISHING TOOLS for AMATEURS




### **GOUGES AND PALLETS**

Gouges and pallets are made from the same hard brass as our handtools and are cut from 5mm thick sheet. The gouges are then formed to the required curves before machining, this produces better sighting than traditional cast gouges. Pallets are finished flat on the sighting side with a long bevel on the reverse. They are supplied with a 9 inch arc as standard, but can be made flat if required.



Pallets come in sets of 10, either single line, double line or thick and thin line. Gouges are sold as a set of 12, a set of 5 semi-circle, or 4 circle gouges. For more aesthetic tooling our set of 40 designer gouges and 7 blending gouges are ideal - these are also available as a half set of 20 or they may be supplied individually (as can all tools).

Unless otherwise requested all single line pallets and gouges are made with a 1.5 point (.020 inch / .5mm) line thickness. Double and thick and thin line are as shown on the following page and come with mitred ends. A starter set of gouges and pallets along with some simple handtools are available in the popular amateur sets (opposite page). Gouges, like our handtools are now made with a slightly domed face. All sets are supplied in strong wooden boxes.



To complete the range of lining tools, 3 inch pallets, 3 inch diameter fillets and farthing wheels are also available.



Gouges Blending Designer (set of 12) set Gouges \_ G <del>-----</del> 40 Semi-circle Gouges -30 Circle Gouges Designer Gouges available in half sets of 20, either odd or even numbers. **PALLETS** (sets of 10) Thick & Thin Single line Double line

### **GRAINING PALLETS**



A

В





The following pages show a comprehensive range of decorative wheels, many having been reproduced from period bindings, desk leathers and trade catalogues. They are made to the same high standard as our other tools, very deeply cut on turned blanks 3 inches in diameter (this may vary depending on length of pattern sections). The wheels are mounted between cast gun-metal forks with specially designed shouldered steel screws, that alleviate binding. They are sold complete with fork and handle although we can supply wheels only. Most decorative wheel designs can be reduced or enlarged to order, whilst fillets can be mitred to run into corners.




#### INTERCHANGEABLE SMALL WHEELS

We can also supply fillet and decorative wheels in the smaller size of approximately 1 1/2 inches in diameter (not suitable for longer patterns). They are 1/3 of the standard wheel price for the wheel only. The special fork and 12 inch handle is supplied separately in two widths, one for patterns up to 1/4 inch wide the other from 1/4 inch to 1/2 inch (wider designs not available in small wheels).


#### **(**

#### **DECORATIVE PALLETS**



Decorative and line pallets can be made to suit <u>most</u> decorative wheel and fillet designs and are supplied curved with a 10 inch diameter arc unless flat tools are requested when ordering. They are made 3 inches long as standard, but can be made shorter or up to 4 inches if required (some pattern lengths are too long to completely fit onto a pallet). 3 inch pallet prices are 1/3 of the respective wheel prices.

Our pallets are engraved with extra depth around the outer edge, leaving the indentations which are an essential visual a id for p reventing 'doubling' when a dditional impressions need to be located.



#### **DECORATIVE STRIPS**

Type high brass strips are also available in most designs. Ideal for underlining or bordering alongside type, they can be cut any length up to 6 inch. The body size will be the nearest available standard point size. 4 inch strips are priced at 1/4 of the respective wheel price.



### FILLET WHEELS AND PALLETS

## Single

F 1	1 paint	F6	5 point
F 2	1-5 point	F 7	6 point
F3	2 point	F 8	7 paint
F4	3 point	F9	8 point
F 5	4 point	F 10	9 point

### Combination


F 11		F 23	
F 12		F 24	
F 13		F 25	
F 14		F 26	
F 15		F 27	
F 16		F 28	
F 17	<del></del>	F 29	
F 18		F30	
F 19		F 31	
F 20		F 32	
F 21		F 33	
F 22		F 34	





#### --

#### **DECORATIVE WHEELS AND PALLETS**





lacktriangle






פ∕787את		DW303/s	<u>}</u>
D W 288/F	000000000000000000000000000000000000000	pw304/s	
D W 289/T	<i>ತನಶತತಶಶಶಶಶಶ</i>	₽₩305/\$	<u> </u>
D₩290/*	20202222222	Dw306/s	<u>• • • • • • • • • • • • • • • • • • • </u>
Dw291/u		บพ307/s	***********
ש ע 292/ע	ور و و و و و	Dw308/s	************
DW293/G	2222	D ₩309/s	<b>\^^^^</b>
		Dw310/s	******
⊅₩294/V		pw311/u	CONTRACTIONS
n w 295/w	1515151	<b>୭พ312/</b> บ	附回附回附回附回
		ט w 313/ ט	
Dw296/v	15151515		
บพ <b>29</b> 7/∪	2525252		
D₩298/s		D w 315/u	
р w 299/т		D₩316/T	
љw300/u		Dw317/u	7 <u>0</u> 967 <u>0</u> 967 <u>0</u> 967 167 <u>0</u> 967 <u>0</u> 96
DW301/T	<b>∞</b> €∞€∞€∞	⊅₩318/U	
		<b>17222</b>	

new\_pages.indd 29 12/10/2017 16:04




**(** 




















D w 409/R	AND SERVICE OF SERVICE
Dw410/R	<del>was a construction of the construction of the</del>
Dw411/s	
DW412/S	~~~~~~~~~~
DW413/S	<u> </u>
DW414/S	AVAVAVAVAVA
dw415/s	なりたかんかんかんかんかん
DW416/s	AND THE PROPERTY OF THE PARTY O
DW417/s	<b>ふとかとからからかんかん</b>
DW423/s	:acaeaeaeaeae.
DW422/S	CACACACACACACACACACACACACACACACACACACA
DW421/s	
DW421/s DW420/s	
DW421/s DW420/s	
DW421/s DW420/s DW419/s DW418/s	
DW421/s DW420/s DW419/s DW418/s DW424/T	
DW421/S DW420/S DW419/S DW418/S DW424/T	
DW421/S DW420/S DW419/S DW418/S DW424/T DW425/U DW426/T	
DW421/S DW420/S DW419/S DW418/S DW424/T DW425/U DW425/U	

DW430/s	. મેં અને પ્રત્યાને પ્રત્યાને તેમાં એક પ્રત્યાને પ્રત્યાને પ્રત્યાની તેમાં અને પ્રત્યાની માત્ર
⊅₩431/s	WORK DE SE
D w 432/s	
DW433/s	*************
ÐW434/T	
DW435/s	XXXXXXXXXXXXXXX
DW436/s	ক <b>্ষ</b> ক্রপক্রপক্রপক্রপক্রপক্রপক্র
DW437/s	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
DW438/s	amamamama
DW439/s	*******
D₩440/s	
DW441/s	CERTALATACALATA
DW442/S	AYAYAYAYAYAYAYAYAYAYAYAYAYAYAYA
DW443/S	X.X.X.X.X.X.X.X.X.X
DW444/T	
DW445/T	ZA YA YA YA YA YA YA
DW446/T	THE WASHESTERS
ช พ 447/\$	000000000000000000000000000000000000000
DW448/T	PRESENTATION
DW449/R	- Andrews Comments
D W 450/T	

12/10/2017 16:04



ש 451/∨ ש	@Y@Y@Y@Y@Y@Y@Y@	⊅₩472/ฃ	I SE TORES
DW452/V	CANCIONAL DESCRIPTION OF THE PROPERTY OF THE P	ט 473/ט	KAN AR KAN
D W 453/U		D W 474/T	THE SECOND SECON
DW454/U	with the the the the	DW475/u	XXXXXXXXXXX
DW455/U	DONORON DE ONORON DE	Dw476/v	KONSON
D₩456/U	፠ <mark>፞፞፞</mark> ፞፞፞፞፞፞፞፞ዼ፠፞፞፞ዼ፠፞፞ዼ፠፞ዼ፠ዼ፠ቔ		
рw457/u	reresterester	D W 477/W	※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※
D₩458/U	* * * * * * * * * * * * * * * * * * *	D w478/v	ENENENE.
บพ459/ย	wayawayayay		
D W 460/U	RESKINGERINGER	DW479/W	DE WILLIAM TO THE TOTAL TH
DW461/U	SALAKA SAKA	D₩480/U	BRARRARRARR
D₩462/V		DW481/v	
DW463/T	000000000000000000000000000000000000000		VOCOMO (SMO) (SMO) (SMO) (SMO) (SMO) (SMO)
DW464/T	<i>\$</i> \\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\	DW482/W	
DW465/U	**********	DW483/V	\$\frac{1}{2} \left( \frac{1}{2} \reft( \frac{1} \reft( \frac{1} \reft( \frac{1} \reft( \frac{1} \reft( \frac{1} \reft( \frac{1}
D₩466/U	/#WATAYAYAYAYAYAYA	D W 484/W	
D₩467/U	DE SOUTH TO SOUTH	ъw485/x	<u> </u>
⊅พ468/ฃ	G%9G%9		
D W 469/T	CYCACYCA	DW486/x	OKOKOKOKOKO
DW470/T	Word Dellow	D w 487/x	
<b>มพ</b> 471/บ		DW488/V	

(



DW504/Y 3 43 43 43 43 43 43 DW489/X 2007 1889/X ри490/х VOLUCEY DW492/X DW493/W @ # @ # @ # DW494/X DW510/X DW495/V WSSOLE MASSOLE WIND PARTIES AND THE STATE OF T Will a straight of the straigh KEKEKEKEKEKEKE DW514/V 6(36) 26 (63) 26 DW509/X DW516/W ASSECTION ASSECTIO DW501/X 



DW519/V	公子的公子公子的心	ช พ 536/บ	
DW520/V	REAL CONTRACTOR	DW537/V	DESCRIPTION OF THE PARTY OF THE
DW521/V	(@%a%a%a%a%a%a%a%a	<b>อพ538/พ</b>	ALEX COLOR AND
DW522/V		บพ539/v	Lokokokokoko
DW523/V	OKOKOKOKO	D₩540/v	A CONTRACTOR OF THE PROPERTY O
		ชพ541/น	
DW524/V		D <b>w5</b> 42/U	MESTER CATERIA CATE
DW525/W		<b>ช พ</b> 543/บ	THE RESERVED
บพ526/v		<b>⊅₩544</b> /U	RESERVE RESERVE
Dw527/v	monder of the constraint of th	DW545/U	विके कि विके प्रतिकार
D H J Z / / V		DW546/V	
DW528/u	LIKIKIKIKIKIKI K	DW547/U	
DW529/v		D w 548/u	KRYNKYKY.
DW530/U		DW549/U	BYBYBYBYBYBYBYBYBYB
	THE CAR CAROLI	<b>D</b> ₩550/V	<u><u>*</u>**********************************</u>
DW531/U	<b>《美·黄·美·黄·美·黄·美·</b>	บพ551/น	KEKOKÜKEKE
DW532/V	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	ש ש 552/ע מ	A COMPANY OF THE PARTY OF THE P
DW533/T	and the same and the same	D W 553/W	
D₩534/T	B.BB.BB.BB.BB.BB.B		NO TO MERCENTE
D W 535/T	LICE CONTROL OF THE PARTY OF TH	ש ש 554/w	

**(** 

DWS55/R DOODSONDOON ₽₩571/U TOUR STORY OF THE STORY DW572/V WETENOTO LEVEL STANDA DW557/R 36666 DW558/S DW559/T JOIO ON DW576/U TCYSTCYSTCYSTCYSTCYSTCY D W 563/U DW564/U DW565/V DW567/U 505050 DW585/T DECECTOR CONTROL OF CONTR DW568/U DW586/T by holy of by by by by Dw569/T ) 










**XIXIXIXIXIXI** DW589/W DW590/W 201600V2 ש 591/w מ DW592/W E STORE E DW605/X TOTAL TOTAL р w 594/w DW595/W THE CONTRACTOR Dw596/v DW610/W DW611/V ) **દ**ુર DW612/W DW600/W DW613/W

new\_pages.indd 37


**(** 













DW673/X DW685/2 DW685/2 DW674/V DW686/Y DW686/Y DW676/W ( DW688/Y DW688/Y DW688/Y DW678/V 34500 AW690/Y TO TOTAL TO THE DW690/Y TO TH DW679/Y DW691/W DW691/W DW680/Y COCONOCIONACIONOS CON DW682/Y D W 683/z DW684/Z



DW692/z DW694/y WELLY ON DERROL BUENT HORE FOR THE PROPERTY OF THE PARTY OF 

#### **BRASS TYPE**



Our brass type is made to the most rigorous standards from the same hard brass used for our other tools. The body is first machined to the exact point size and then ground accurately to the type height. The characters are deeply engraved using special jigs to ensure perfect alignment and excellent definition on most surfaces, when used either by hand in a typeholder, or in a blocking press.

Our range of faces have been gradually increased and now includes 60 styles, which are shown on the following pages. To conserve space we now show a complete alphabet of each face followed by an example of each point size available, with the actual height shown in mm (larger or smaller point sizes are available in a limited number of styles, please enquire). The names of some of the type faces have been 'invented' as they were reproduced from founders cast brass type, the names of them long forgotten.

The style sheets have been arranged for ease of comparison with sans serif faces first, followed by light serif faces, then Roman faces. Finally the scripts, decorative faces and foreign language fonts. Most faces are also available with accented letters for foreign languages (please supply details of requirements). Where frequently used words or phrases are required, dies can be supplied.


An index of type styles can be found at the back of the catalogue.







### **BRASS TYPE**



- A TYPE HEIGHT BRITISH TYPE HIGH = .9195ins (23.35mms)
- B BODY (POINT SIZE) 72 POINT = 1
- C HEIGHT OF FACE SHOWN IN mm ON STYLE SHEETS
- D BEARD (SEE NOTE BELOW)
- E NICK DENOTES BOTTOM OF LETTER

<u>NOTE</u>:- The majority of faces are of a height that will accommodate lower case descenders on the beard thus doing away with the need for stepped bodies.

All type is supplied British printers type high (other heights supplied to order). Our type is normally engraved flush top as shown (centrally engraved type can be supplied if required). 6 point type is engraved on an 8 point body.

#### QUADS AND SPACERS

Quads and spacers are supplied as a set of 12 various width quads and 50 hair spacers, in all standard point sizes

#### COMBINATION OF STANDARD FONTS

Our standard font combinations are as shown below, although any desired combination can be supplied on request. Additional punctuation, fractions, foreign accents etc. can be supplied as extras, price on application.

#### 100 Piece upper case font

#### 150 Piece upper case font

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z & - . , 'AE OE 0 1 2 3 4 5 6 7 8 9 6 4 4 4 6 3 2 4 6 3 3 5 5 6 5 3 2 6 7 6 4 3 3 3 3 2 1 1 4 2 2 1 1 3 3 3 3 3 3 3 3 3 3

#### 100 Piece lower case font

a b c d e f g h i j k l m n o p q r s t u v w x y z 64 4 4633463444 463 255552 2 2 2 2



#### ADONIS EXTENDED

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& 012345678.,'- abcdefghijklmnopqrstuvw

## ABCbc12 ABCde23

30PT 7.4MM

ABCefg12 ABCefg34

26PT 6.5MM

24PT 6.1MM

ABCefg56 ABCefg23

ABCefg45

22PT 5.6MM

18PT 4.5MM

16PT 4.1MM

ABCefg67

ABCefg78

ABCefg45

ABCDefg 89

14PT 3.6MM

12PT 3MM

10PT 2.5MM

8PT 1.8MM

#### **GILL SANS**

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (.,;:) 1234567890 abcdefghijklmnopqrstuvwxyz

ABC efg 67

ABC efg 89

36PT 8.1MM

30PT 6.7MM

ABCefg 34

ABCefg 23

ABC efg 89

26PT 5.8MM

24PT 5.4MM

22PT 4.9MM

ABC efg 45

ABC efg 67

ABC efg 34

18PT 4MM

16PT 3.6MM

14PT 3.1MM

ABC efg 123

ABCD efg 56

ABCDE efgh 789

ABCIDEF efgh. 34567

12PT 2.7MM

10pt 2.2MM

8PT 1.7MM

6PT 1.4MM



#### CORONATION

## ABCDEFGHIJKLMNOPQRSTUVWXYZ & 12345678 abcdefghijklmnopqrstuvwxyz

## ABCdef I2 ABCefg34

ABCefg23 ABCefg12 ABCefg56

26PT 7.7MM

24PT 7.3MM

22PT 6.6MM

ABCDefg 67 ABCDefg 45 ABCDefg 89

18PT 5.7MM

16PT 4.6MM

14PT 4.2MM

ABCDefg 67 ABCDE efgh 123 ABCDE efgh 345

ABCDEF efani 678

12PT 3.7MM

10PT 3MM

8PT 2.3MM

6PT 1.8MM

#### DEVON

**ABCDEFGHIJKLMNOPQRSTUVWXYZ** &ƌ abcdefghijklmnopqrstuvwxyz 1234567890..'-

ABCdef 12 ABCefg34

36PT 10.3MM

ABCefg67 ABCefg45

ABC

26pt 7.6mm

new\_pages.indd 45

24PT 6.8MM

22PT 6.3MM

ABC efg78

ABCefg89 ABCDefg34

18PT 5.4MM

16PT 4.3MM

14PT 4MM

ABCDefg 23

ABCDE efg 89 ABCDE efgh 123

ABCDEF efghi 345

12PT 3.4MM

10PT 3.1MM

8PT 2.5MM

6PT 1.8MM



## HELVETICA LIGHT

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& 1234567890.,'-abcdefghijklmnopqrstuvwxy

ABCefg12 ABCefg34

30PT 8.1MM

ABCefg23

26PT 7.1MM

ABCefg67

ABCefg67

24рт 6.5мм

22PT 6MM

ABCefg89 18PT 5MM

ABCefa78

ABC efg 45

16PT 4.3MM

14PT 3.9MM

efg 123

ABCD efgh 456

ABCD efghi 789

ABCDE etchii 678 6PT 1.7MM

12PT 3MM

10pt 2.5mm

8PT 2MM

## HELVETICA MEDIUM

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& 1234567890 abcdefghijklmnopgrstuvwx

ABCefg12 ABCefg34

30PT 8.1MM

ABCefg23

ABCefg78

ABCefg56

26PT 7.1MM

24PT 6.5MM

22РТ 6ММ

ABC efg 89

ABCefq 45

ABCD efg 34

18PT 5MM

16PT 4.3MM

14PT 3.9MM

ABCD efg 456

ABCDE efgh 234 10PT 2.5MM

ABCDEF efghi 678 **8PT 2MM** 

ABCDEFG efghij 4567 6PT 1.7MM

12PT 3MM



## **UNIVERS 65**

**(** 

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& 1234567890 "- abcdefghijklmnopgrstuvwx

## ABCdef 23 ABCefg34

36PT 9.7MM

30PT 8.1MM

ABCefg123 ABCefg45

ABCefg23

26PT 7MM

24PT 6.5MM

22PT 5.9MM

ABCefg67

ABCDE efg 78

ABCDE efg 89

18PT 4.9MM

16PT 4.3NM

14PT 3.8MM

ABCDEF efgh 56

ABCDEF efgh 123

ABCDEFG efgh 345

ABCDEFGHI efghi 678

12PT 3.2MM

10PT 2.7MM

8PT 2.2MM

6PT 1.5MM

**UNIVERS** 49

ABCDEFGHIJKLMNOPQRSTUVWXYZ&Æ0123456789..'-

ABC 45

ABC 67

36PT 9.7MM

30PT 8.1MM

ABCD 78

ABC 23

ARCD 78

26PT 7MM

24PT 6.5MM

22PT 5.9MM

ABCD678

ABCDE 1234

ABGDE 4567

18PT 4.9MM

16PT 4.3MM

14PT 3.8MM

ARCOFF 6709

A8COEF 6789

ARCOFF 2345

48¢0fff 45618

12PT 3.2MM

10PT 2.7MM

8PT 2.2MM

6PT 1.6MM



#### UNIVERS 57

## ABCDEFGHIJKLMNOPQRSTUVWXYZ && (.,;) 1234567890 abcdefghijklmnopgrstuvwxyz

ABCefg 56

36PT 9.7MM

ABC efg34

30PT 8.1MM

ABC efg56 26PT 7MM

ABC efg 78

ABC efg 45

24PT 6.5MM

22PT 5.9MM

ABC efg 23 18PT 4.9MM

ABC efg 67

ABC efg 45

16PT 4.3MM

14PT 3.8MM

ABCDefgh 123

12PT 3.2MM

ABCDE efgh 567

ABCDEF efghij 345

ABCOEF etghij 4567

10pt 2.7mm

8PT 2.2MM

6PT 1.6MM

## UNIVERS 59

## ABCDEFGHIJKLMNOPQRSTUVWXYZ && (.,;;) abcdefghijklmnopqrstuvwxyz 1234567890

ABC efg 34

36PT 9.7MM

ABC efg 56

30PT 8.1MM

ABC efg 34

26PT 7 M M

ABC efg 89

24PT 6.5MM

ABC efg 34

22PT 5.9MM

ABCD etg 123

18pt 4.9mm

ABCD et ah 456

16pt 4.3mm

ABCDE efgh 789

14PT 3.8MM

ABCDE efgh 456

12PT 3.2MM

ABCDEF efghi 123 10pt 2.7 M M

ABCDEF etahiji 567 8PT 2.2MM ABCOEFG efghij 6789 6PT 1.6MM



#### GRANBY CONDENSED

## ABCDEFGHIJKLMNOPQRSTUVWXYZ &- .: ,' £ 0123456789 abcdefghijklmnopqrstuvwxyz

ABCefg34

ABCefg67

36PT 9.4MM

30PT 7.9MM

ABCefg 89 ABCefg 45 ABCefg 89

26PT 6.7MM

24PT 6.2MM

22PT 5.7MM

ABCefg 23

ABC efg 56

ABCD efg 67

18pt 4.6mm

16PT 4.3MM

14PT 3,6MM

ABCD efgh 123

ABCD efgh 3456

efghi 6789

ABCDEF efghij 5678

12PT 3MM

10PT 2.5MM

8pt 2.1mm

6PT 1.6MM

**GROTESQUE NO.9** 

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& 1234567890 "'- abcdefghijklmnopqrstuvwxyz

ABCefg 23 ABCefg 12

ABC efg 34

ABC efg 56 ABC efg 67

26PT 7.3MM

24PT 6.6MM

22PT 6.1MM

ABC efg 89

ABCD efg 12

ABCD efg 67

18pt 5mm

16PT 4.5MM

14PT 3.9MM

ABCD efg 345 ABCDE efgh 678

ABCDE efghi 567

ABCDEF efehii 1234

12PT 3,4MM

10PT 2,8MM

8PT 2.2MM

6PT 1.7MM



## **NEWS GOTHIC CONDENSED**

## ABCDEFGHUKLMNOPQRSTUVWXYZ B &?!£\$(\_;;) 1234567890 abcdefghijklmnopgrstuvwxyz

ABC efg 45

ABCefg78

30PT 7.9MM

ABCefg89

ABC efg 67

ABC efg 78

26PT 6.9MM

24PT 6.3MM

22PT 5.7MM

ABC efg 34

ABCD efg 123

ABCD efgh 789

18pt 4.8mm

16PT 4.3MM

14PT 3.7MM

ABCDE efgh 345

ABCDEF efgh 5678

ABCDEFG efgni 5789

ABCDEFGH efizhii 123456

12PT 3,1MM

10PT 2.7MM

8pt 2.2mm

6PT 1.6MM

## RUTLAND

ABCDEFGHIJKLMNOPQRSTUVWXYZ& 1234567890 ÆE.,'- abcdefghijklmnopgrstuvwxyz

ABCefg 34 ABCefg 45

36PT 10.3MM

30PT 8.7MM

ABC efg 12 ABC efg 78

ABC efg 23

26PT 7.4MM

24PT 6.8MM

22PT 6.2MM

ABC efg 89

ABCD efg 567

ABCDefq 789

18PT 5.4MM

16PT 4.5MM

14PT 4.1MM

ABCDE efgh 123 ABCDE efgh 345 ABCDEF efghi 456

ABCDEFG efgAn 234

12PT 3.6MM

10PT 3MM

8PT 2.5MM

6PT 1.8MM



#### FRUTIGER

## ABCDEFGHIJKLMNOPQRSTUVWXYZ&(.,;:) abcdefghijklmnopqrstuvwxyz1234567890

## ABCefg67

ABCefg34

36PR 9.1MM

30PT 7.6MM

ABCefg45

ABCefg89

ABCefg67

26PT 6.6MM

24PT 6.1MM

22PT 5.6MM

ABCefg 23

ABCefg 67

ABC efg89

18PT 4.6MM

16PT 4.1MM

14PT 3.6MM

ABC efg 345

ABCDefgh 678

ABCD efghi 6789

ABCDE efghij 5678

12PT 3MM

10PT 2.5MM

8PT 2MM

6PT L.6MM

## **PASCAL**

ABCDEFGHIJKLMNOPQRSTUVWXYZƌ&(:;/) abcdefghijklmnopgrstuvwxyzææ 1234567890

ABCefg34

ABC efg89

36PT 8.6MM

30PT 7.2MM

ABC efg56

ABC efg23

ABC efg89

26PT 6.1MM

24PT 5.7MM

22PT 5.2MM

ABC efq 45

ABC efg 78

ABC efq56

18PT 4.3MM

16PT 3.8MM

14PT 3.4MM

ABCD efghi 456 10PT 2.4MM

ABCDE efghij 6789 8PT 1.9MM

ABCDEF efghij 5678 6PT 1.5MM

12/10/2017 16:04 new\_pages.indd 51



### **OPTIMA**

## ABCDEFGHIJKLMNOPQRSTUVWXYZ & (,;;) abcdefghijklmnopqrstuvwxyz 1234567890

ABCefg 56 36PT 8.7MM

ABC efg89

30pt 7.3mm

ABCefg 67

26PT 6.3MM

ABC efg 23

24РТ 5.8мм

ABC efg 78

22PT 5.4MM

ABC efg 45

18PT 4.4MM

ABC etg 89 16PT 3.9MM

ABC efg 123

14PT 3.4MM

ABC efgh 678

12PT 2.9MM

ABCD efgh 345 10pt 2.4mm

ABCDE efghi 6789 8PT 1.9MM

ABCOEF eight 23456

6PT 1.5MM

## **OPTIMA MEDIUM**

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (,,;) abcdefghijklmnopqrstuvwxyz 1234567890

ABCefg 45

ABCefg89

30PT 7.3MM

36PT 8.7MM

ABCefg 23

ABCefg78

26PT 6.3MM

ABCefg 67

24PT 5.8MM

22PT 5.4MM

ABC efg 89

ABC efg 123

ABCefgh456

18PT 4.4MM

16PT 3.9MM

14PT 3.4MM

ABCefgh789

12PT 2.9MM

ABC efgh 567 10pt 2.4mm

ABCD efghi 6789 8PT 1.9MM

ABC/DE efghij 45678 **6PT 1.5MM** 

12/10/2017 16:04 new\_pages.indd 52



## **CAMBERWELL**

## **ABCDEFGHIJKLMNOPQRSTUVWXYZ** &-:,ή1234567890

ABC 123 ABC 456

36PT 10.5MM

30PT 8.8MM

ABC 789 ABCD 567 ABCD 234

26PT 7.9MM

24PT 6.8MM

22PT 6.2MM

ABCD 678

ABCDE 3456

**ABCDE 7890** 

18PT 5.6MM

16PT 4.6MM

14PT 4.2MM

ABCDEF3456

ABCDEF 5678

ABCDEFG 1234

ABCDEFGH 34567

12PT 3.5MM

10PT 3.3MM

8PT 2.4MM

6PT 1.8 M M

## CENTAUR

## ABCDEFGHIJKLMNOPQRSTUVWXYZ&ÆŒ

1234567890 .,'- abcdef ghijklmnopqrstuvwxyzæœ

ABCefg123 ABCefg234

30PT 6.2MM

ABCDef g 345

ABCDefg567 ABCDefg789

26PT 5.4MM

24PT 5MM

22PT 4.5MM

ABCDE ef g 567

ABCDE ef g 2345

ABCDEF efg 6789

18PT 3.7MM

16PT 3.3MM

14PT 2.9MM

ABCDEFGefgh 4567 12PT 2.5MM

ABCDEFGH 12:45678

ABCDEFG efgh 12345 10PT 2.2MM

8PT 1.9MM





### **FOURNIER**

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& 1234567890.,'- Æ abcdefghijklmnopqrstuvwxyz

ABCcde12 ABCefg23

36PT 11.2MM

ABCefg123 ABCefg34 ABCefg67

26PT 7.9MM

24PT 7.4MM

22PT 6.6MM

ABC efg 89 ABC efg 56 ABCD efg 78

18PT 5.8MM

16PT 5MM

14PT 4.3MM

12PT 3.7MM

ABCDefg 56 ABCDefgh 234 10PT 3.2MM

ABCDE efghi 678 8PT 2.4MM

ABCDEF eightj 3456 6PT 1.8MM

## **GLOUCESTER**

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& ή -'.,

1234567890 abcdefghijklmnopgrstuvwxyzæœ

ABCefg23 ABCefg34

ABCefg 78 ABCefg 67 ABCefg 89

26PT 7.9MM

24PT 7.4MM

22PT 6.6MM

ABC efg 45

ABC efg 78

ABCD efg 34

18PT 5.8MM

16PT 5MM

14PT 4.3MM

ABCD eigh 123 ABCD eigh 456

10PT 3.2MM

ABCDE efghi 789

ABCDEFC efghij 34567

12PT 3.7MM

8PT 2.4MM

6PT 1.8MM



## ABCDEFGHIJKLMNOPQRSTUVWXYZ ƌ&1234567890 .,'-

ABC56

ABC 67

36PT 9.3MM

30PT 7.7MM

ABC34

ABC 90

ABC56

26PT 6.8MM

24PT 6.2MM

22PT 5.6MM

ABC 34

**ABC123** 

ABC 567

18PT 4.8MM

16PT 4.2MM

14PT 3.6MM

ABCD789

ABCDE 3456

ABCDE 5678

ABCDEF34567

12PT 2.9NM

10PT 2.6MM

8pt 2.1mm

6PT 1.7MM

## CHICHESTER LIGHT CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 Æ&-..'

ABC 45

ABC23

30PT 7.7MM

ABC 67

ABC89

ABC 34

26PT 6.8MM

24PT 6.2MM

22PT 5.6MM

ABC 67

ABC 78

ABC 345

18PT 4.8MM

16PT 4.2MM

14PT 3.6MM

ABCD 567

ABCD1234

ABCD 6789

**ABCDEF 45678** 

12PT 2.9MM

10PT 2.6MM

8pt 2.1mm

6PT 1.7MM

## •

## ABCDEFGHIJKLMNOPQRSTUVWXYZ

&-0123456789·,'Æ

CHICHESTER ITALIC

*ABC 34* 

*ABC 23* 

36PT 9.3MM

30PT 7.7MM

*ABC 67* 

ABC 56

*ABC 89* 

26PT 6.8MM

24PT 6.2MM

22PT 5.6MM

ABC 56

18PT 4.8MM

ABC 123

16PT 4.2MM

ABC 456

14PT 3.6MM

ABCD 678

12PT 2.9MM

ABCD 3456 10pt 2.6mm

ABCDE 6789

ABCDEF 23456

8PT 2.1MM

6PT 1.7MM

WINCHESTER OLD STYLE ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXY**Z**&

0123456789-../() abcdefghijklm nopqrstuvwxyz

ABCefg 56

ABC efg23

30PT 7.7MM

36PT 9.3MM

ABCefg 23

ABC efg 56

26PT 6.8MM

ABCefg 56

24PT 6.2MM

22PT 5.6MM

ABC efg89

ABC efg 67

ABC efg 45

18PT 4.8MM

16PT 4.2MM

14PT 3.6MM

ABCD efgh 123

ABCD efgh 789

ABCDE efghi 3456 8PT 2.1MM ABCDEF efain; 56789



#### CHELTENHAM OLD STYLE

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& ƌ/()1234567890..'-

ABC 34

**ABC 67** 

36PT 11.2MM

30PT 9.1MM

ABC 45

26PT 7.9MM

**ABC 89** 

ABC 23

24PT 7.2MM

22PT 6.4MM

ABC 67

18PT 5.8MM

ABC 456

16PT 5MM

ABCD 789

14PT 4.2MM

ABCD 1234

ABCD6789

**ABCDE 3456** 

ABCDEF 56789

12PT 3.6MM

10PT 3.2MM

8pt 2.5mm

6PT 1.8MM

## TRAJAN ROMAN

## ABCDEFGHIJKLMNOPQRSTUVWXYZ &0123456789

ABC 23

ABC 56

36PT 9.1MM

30PT 7.6#M

ABC89

ABC 56

ABC23

26PT 6.6MM

24PT 6.1MM

22PT 5.6MM

ABC123

ABC 456

ABC 789

18PT 4.6MM

16PT 4.1MM

14PT 3.6MM

ABCD 456

ABCD 234

ABCD 4567

ABCDE 12345

12PT 3MN 10PT 2.5MM

8PT 2MM

6PT 1.6MM

#### YORK

**(** 

## ABCDEFGHIJKLMNOPQRSTUVWXYZ &ÆŒ 1234567890 .,'- abcdefg hijklmnopqrstuvwxyz

ABCefg12 ABCefg34

ABCefg45 ABCefg78 ABCefg56

26PT 7.5MM

24PT 6.9MM

22PT 6.3MM

ABCefg 89

18PT 5.6MM

ABCefg 56 ABC efg 78

16PT 4.6MM

14PT 4.1MM

ABCDefg 34

ABCDefg 89

ABCDE efgh 456

ABCDEF efghi 789

**6PT 1.8MM** 

12PT 3.7NM

10PT 3.2MM

8PT 2.5MM

## KENT

## ${ t ABCDEFGHIJKLMNOPQRSTUVWXYZ} \,\, ilde{{ t AE}} \, extbf{G} \, extbf{\&}$ 1234567890 .;- abcdefghijklmnopqrstuvwxyz

ABCefg 23 ABCefg 56

ABCefg 34 ABCefg 89 ABCefg 67

26PT 7.5MM

24PT 5.9MM

22PT 6.3MM

ABCefg 45 ABCefg 12 ABCD efg 78

16PT 4.6MM

14PT 4.1MM

ABCD efg 34 ABCD efgh 678

10PT 3.2MM

ABCDE efghi 234

ABCDEF efghij 789

12PT 3.7MM

8PT 2.5MM

6PT 1.8MM



## ABCDEFGHIJKLMNOPQRSTUVWXYZ& 12345678 -.,' abcdefghijklmnopgrstuvwxyz

ABCefg12 ABCefg23

ABCefg12 ABCefg34 ABCefg23

26PT 7.9MM

24PT 7.4MM

22PT 6.6MM

ABCefg 56 ABC efg 78 ABC efg 89

16PT 5MM

14PT 4.3MM

ABCDefg 67

ABCD efg 45

ABCDE efgh 89

ABCDE eigh 123

12PT 3.7MM

10PT 3.2MM

8PT 2.4MM

6PT 1.8MM

## **ELIZABETHAN**

ABCDEFGHIJKLMNOPQRSTUVWXYZ& 1234567890 .,–' abcdefghijklmnopqrstuvwxyz

ABCefg23 ABCefg34

ABCefg 12 ABCefg 56 ABCefg 89

26PT 7.9MM

22PT 6.6MM

ABC efg 67 ABC efg 12 ABCD efg 56

16PT 5MM

14PT 4.3MM

ABCD efg 89 12PT 3.7MM

ABCDE efg 67 10PT 3.2MM

ABCDE efgh 456 8pt 2.4mm

ABCDEFG efghi 1234 6PT 1.8MM



### TIMES NEW ROMAN CONDENSED

## ABCDEFGHIJKLMNOPQRSTUVWXYZ.,'-& 1234567890 abcdefghijklmnopgrstuvwxyz

ABC ef g 23 ABC ef g 12

36PT 9.2MM

30PT 7.8MM

ABC efg 45

26PT 6.7MM

ABC efg 89

ABCefg67

24PT 6.3MM

22PT 5.7MM

ABC efg 78

ABC efg 34

16PT 3.9MM

ABCD efg 678

14PT 3.6MM

18PT 4.3MM

ABCDE efgh: 789

ABCDEF eignit 3456

ABCDE efgh 456

8PT 2.1MM

6PT 1.6MM

12PT 2.9MM

ABCD efgh 123

10PT 2.5MM

## TIMES NEW ROMAN

## ABCDEFGHIJKLMNOPQRSTUVWXYZ &

1234567890 (";;) abcdefghijklmnopqrstuvwxyz

ABCefg45

ABCefg67

ABCefg 23

ABCefg78

ABCefg 78

26PT 6.7MM

24PT 6.3MM

22PT 5.7MM

ABC efg 23 18pr 4.3mm

ABC efg 89

ABC efg 45

16PT 3.9MM

14PT 3.6MM

ABC efg 23

ABCD efg 345

ABCD efgh 678

ABCDE efghi 3456

12PT 2.9MM

10PT 2.5MM

8pt 2.1MM

6PT 1.6MM



#### **GOUDY OLD STYLE**

## ABCDEFGHIJKLMNOPQRSTUVWXYZÆ& abcdefghijklmnopgrstuvwxyzæ (.,;:) 1234567890

ABCefg 34 ABCefg 67

36PR 9.1MM

30PT 7.6MM

ABCefg89

ABCefg67

ABCefg34

26PT 6.6MM

24PT 6.1MM

22PT 5.6MM

ABC efg 56

ABCefg 89

ABCefg78

18PT 4.6MM

16PT 4.1MM

14рт 3.6им

ABCefgh 123

12PT 3MM

ABCDefgh 456 10PT 2.5MM

ABCDE efghi 789

ABCDEF 45678 eightj

8PT 2MM

6PT 1.6MM

#### **BASKERVILLE**

## ABCDEFGHIJKLMNOPQRSTUVWXYZ ή.,-0123456789

**ABC 45** 

36PT 9.1MM

**ABC** 78

ABC89

26PT 6.6MM

ABC 45

24PT 6.1MM

**ABC** 23

22PT 5.6MM

ABC 56

18PT 4.6MM

ABC 123 16PT 4.1MM

ABCD 345

14PT 3.6MM

ABCD 6789

12PT 3MM

ABCD 2345 10PT 2.5MM

ABCDE 4567 8PT 2MM

ABCDEF 123456 6PT 1.6MM



### **CASLON BOLD**

## ABCDEFGHIJKMNOPQRSTUVWXYZ Æ & abedefghijklmnopqrstuvwxyz 1234567890 (.,;:)

ABCefg45

ABCefg78

36 PT 9.1 M M

30pt 7.6MM

ABCefg34

ABCefg89

ABCefg67

26PT 6.6MM

24PT 6.1MM

22PT 5.6MM

ABCefg34

ABCefg 67

ABCefg 89

18PT 4.6MM

16PT 4.1MM

14PT 3.6MM

ABCefg 123

ABCefgh 789

ABCD efghi 3456

ABCDE elghij 5678

12PT 3MM

10pt 2.5mm

8PT 2MM

5PT 1.6MM

## CASLON BOLD CONDENSED

## ABCDEFGHIJKLMN OPQRSTUVWXYZ 0123456789 & ƌ .-.'()?!

ABC45

ABC67

36pt 9.1mm

30PT 7.6MM

**ABC89** 

ABC 67

ABC45

26PT 6.6MM

24PT 6.1MM

22PT 5.6 MM

**ABCD 123** 

**ABCD 456** 

**ABCD 678** 

18PT 4.6MM

16PT 4.1MM

14PT 3.6MM

ABCDE 1234

ABCDE 6789

ABCDE 3456

ABCDRF 45678

12PT 3MM

10PT 2.5MM

8PT 2MM

6PT 1.6MM



#### WINDSOR ELONGATED

## **ABCDEFGHIJKLMNOPQRSTUVWXYZ&**

1234567890.,'- abcdefghijklmnopgrstuvwxyz

ABC efg 34

ABC efg 67

36PT 9.8MM

30PT 8MM

ABC efg 89

ABCD efg 78

ABCD efg 34

26PT 6.6MM

24PT 6.1MM

22PT 5.6MM

ABCDE efg 89

ABCDE efgh 56

ABCDEF efgh 78

18PT 4.8MM

16PT 4.1MM

14PT 3.6MM

ABCDEF efghi 345

ABCDEFG efghij 1234

12PT 3MM

10PT 2.5MM

## PLAYBILL

# ABCDEFGHIJKLMNOPQRSTUVWXYZ& abcdefghijklmnopqrstuvwxyz 1234567890.,'-

ABCefg45

ABC efg 89

ABCD efg 12

36pt 9.6mm

30PT 7.6MM

26PT 6.6MM

ABCDefgh 67

ABCDE efgh456

ABCDEefgh678

24PT 6.1MM

22PT 5.7MM

18PT 4.8MM

ABCDEF efghi 123

ABCDEF efghij 6789

ABCDEFGE efgbijkim 123456

ABCDEFGE efgbijk 4567890

16PT 4.2MM

14PT 3.6MM

12PT 3 M M

10PT 2.5MM

#### **(**

#### PLANTIN BOLD

## ABCDEFGHIJKLMNOPQRSTUVWXYZÆ& abcdefghijklmnopqrstuvwxyzæ 1234567890 (.,;;)

ABCefg 45

36PT 9.3MM

ABCefg 23

30PT 7.8MM

ABCefg89

26PT 6.8MM

ABCefg78

ABCefg 23

24PT 6.2MM

22PT 5.7MM

ABCefg 56

18PT 4.7MM

ABCefg78

ABC efg 123

16PT 4.1MM

14PT 3.6MM

ABC efgh678

ABCD efgh 4567

ABCDE efghi 6789

ABCDE efghij 12345

12PT 3MM

10PT 2.5MM

8PT 2MM

6PT 1.5MM

PLANTIN BOLD CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (.,;:) abcdefghijklmnopqrstuvwxyz 1234567890

ABC efg 89

ABC efg 56

36PT 9.3MM

30PT 7.8MM

ABCefg 23

ABC efg 45

ABC efg 78

26PT 6.8MM

24PT 6.2MM

22PT 5.7MM

ABC efg 45

ABC efg 123

ABC efgh 678

18PT 4.7MM

16PT 4.1MM

14PT 3.6MM

ABCD efgh 789

ABCDE efghi 3456

ABCDE efghij 5678

ABCDEF efghij 12345

12PT 3M M

10PT 2.5MM

8РТ 2ММ

6рт 1.5мм



#### AMERICANA EXTRA BOLD

## ABCDEFGHIJKLMNOPQRSTUVWXYZ-' & 1234567890

**ABCD** 

**ABCD** 

36pt 9.3mm

30PT 8MM

**ABCD** 

**ABCD** 

**ABCD** 

26PT 7MM

24PT 6.5MM

22PT 5.8MM

**ABCDE** 

**ABCDE** 

**ABCDE** 

18PT 4.4MM

16PT 4MM

14PT 3.7MM

**ABCDEF** 

**ABCDEF** 

ABCDEF

ABCDEF

12PT 3.2MM

10PT 2.7MM

8pt 2.2MM

6рт 1.8мм

#### **PRETORIAN**

## ABGDEFGHIJKLMNOPQRSTUVWXYZ &(.,;;) abcdefgkijklmnopqrstavwxyz 1234567890

ABGefg45

ABGefg67

36рт 9.1мм

30PT 7.6MM

ABGefg89

ABGefg67

ABGefg67

26PT 6.6MM

24PT 6.1MM

22PT 5.6

ABGefg89

ABGefg56

ABGefg 123

18PT 4.6MM

16PT 4.1MM

14PT 3.6MM

ABGefg 678

ABG efgh 345

ABGDefgk 6789

ABGDE efglei 4567

12PT 3MM

10PT 2.5MM

8рт 2мм

6PT 1.6MM



## TIFFANY EXTENDED BOLD

## ABCDEFGHIJKLMNOPQRS TUVWXYZ&= 0123456789...

## **AB56**

36PT 10.8MM

30pt 8.9mm

**AB89** 

**AB45** 

26PT 7.8MM

24PT 7.2MM

22PT 6.1MM

ABC34 ABC23

**ABC56** 

18PT 5.3MM

16PT-4.5MM

14PT 4.1MM

**ABC 89** 

**ABC 45** 

**ABC128** 

ABCD 567

12PT 3.7MM

10PT 2.8MM

8PT 2MM

6PT 1.6MM

## TIFFANY EXTENDED LIGHT

ABCDEFGHIJKLMNOPQRSTUVWXYZ& 0123456789 -...

ABC34 ABC67

36PT 10.8MM

30PT 8.9MM

ABC89

ABC45

26₽T 7.8 M M

24PT 7.2MM

22PT 6.1MM

ABC23

ABC78

ABC 56

18PT 5.3MM

16PT 4.5MM

14PT 4.1MM

ABC34

ABC 123

ABCD 567

ABCD 345

12PT 3.7MM

10PT 2.8MM

8PT 2MM

6PT 1.6MM



#### **ENGRAVERS ROMAN**

## ABCDEFGHIJKLMNOPQRSTUVWXYZ & 1234567890 ..'-

## ABC12 ABC23

36PT 10.8MM

30PT 8.9MM

**ABC34 ABC56 ABC67** 

26PT 7.8MM

24PT 7.2MM

22PT 6.1MM

ABC8918PT 5.3MM

ABC 78

ABC23

16PT 4.5MM

14PT 4.1MM

ABCD567

ABCDE 567

ABCDE 456

ABCDEF 1234

12PT 3.7MM

10PT 2.8MM

8PT 2MM

**GPT 1.6MM** 

## ENGRAVERS ROMAN OUTLINE

ABCDEFCHIJKLMNOPQRSTUVWXYZ 0123456789 £-.'&



36PT 10.8MM

30PT 8.9MM

26PT 7.8MM

24PT 7.2MM

22PT 6.1MM

ABC34

18PT 5.3MM

ABC 56 16PT 4.5MM

ABC34

14PT 4.1MM

ABCD123 12PT 3.7MM

ABCD789 10PT 2.8MM

ABCDE 507 8pt 2mm

A BODE 234 6PT 1.6MM

### $\bigoplus$

#### AMERICAN SCRIPT

ABCDEFGHIKLONNOPQRSTUUWXYZ & 0123456789 -,' abcdefghijklmnopgrstuvwxyz

ABC efg 12 ABC efg 45

**30PT 8NM** 

ABC efg 67 ABC efg 34 ABC efg 78

26PT 6.8MM

24PT 6.3MM

22PT 5.7mm

ABCefg 34 ABCDefgh 567 ABCDefghi 234

18PT 4.8MM

16PT 4.3MM

14PT 3.7MM

ABCDEF efghii 6780

12PT 3.2MM

ABCDET defghijk 0123456

10PT 2.6MM

## MERCURY LIGHT SCRIPT

ABODEFGHIJKLMNODQRSTUWWXYZ& 1234567890 ., abcdefghijklmnopgrstuuwxyz

ABCefg45 ABCefg34

30PT 8.4MM

36PT 10MM

ABCefg67 ABCefg12 ABCefg89

26PT 7.3MM

24PT 6.7MM

22PT 6.1MM

ABU efg 567 ABUD efgh 789 ABUDE efghi 1234

18pt 5mm

16Pt 4.5MM

14pt 3.9mm

ABODE defenii 1234567

ABODE defahijk 4567890

12PT 3.4MM

10pt 2.9mm



## **CELTIC SCRIPT**

## abcdefghijklmnopgrstuvwxyz& 0123456789-...

ABC45

ABC23

36PT 9.4MM

30PT 8.1MM

ABC89 ABC67 ABC56

26PT 6.8MM

24PT 6.3MM

22PT 5.8MM

**ΔBC 78 ΔBC 34 ΔBC 123** 

18PT 4.3MM

16PT 4MM

14PT 3.7MM

**ABCD 456** 

**ABCO 678** 

**ABCDE 2345** 

**ABCD€F** 56789

12PT 3.3MM

10PT 2.5MM

8PT 2.1MM

6PT 1.8MM

## AMERICAN UNCIAL

abcoefghísklmnopqqxstuvwxyz 1234567890 Ct ()-...

**abc89** 

**GBC 23** 

30PT 6MM

aBC34

GBC 23

**ABC 36** 

26PT 5MM

24PT 4.6MM

22PT 4.3MM

**CBC 78** 

**GBC 123** 16PT 3.2MM

**GBCO 789** 

18PT 3.6MM

14PT 2.8MM

**abco 567** 

**GBCTOE 789** 

**abcoe 1934** 

**GBCTORF 56799** 

12PT 2.4MM

10PT1.9MM

**BPT 1.6MM** 

6PT 1.3MM



#### VICTORIANA

## ABQDEFGHIJKCMNOPQRSTUVW X Y Z8-..

1234567890 abedeføhijklmnopgrstuuwxyz

ABRefø34 ABRefø67

36PT 7.8M

ABRefø89 ABRefø45 ABRefø23

30PT 6.8MM

26PT 6.2MM

24PT 5.8Mm

ABRefø67

ABQ ef q 45

ABQ efq 34

22PT4.2MM

18PT 3.8PT

16PT 3.4MM

ABRefos6

ABQD ef & 89

ABRDE et oh 456

ABRDEF efob 6789

14PT 3MM

12PT 2.5MM

10PT 2.1MM

8pt 1.8mm

## ART NOUVAEU

## ABCDEFGHIJKLMNOPQRS TUVWXYZ& 0123456789-...

ABC34

ABC 56

36PT 11.1MM

30PT 9.2MM

ABC78

ABC 23

ABC 456

26PT 8MM

24PT 7.4MM

22PT 6.6MM

**ABCD 123** 

ABCD 678

ABCD 345

18PT 5.8MM

16PT 5MM

14PT 4.3MM

ABCDE 5678

ABCDE 2345

ABCDEF 6789

ABCDEFG 34567

12PT 3.8MM

10PT 3.2MM

8PT 2.5MM

6PT 1.8MM



### **OLD ENGLISH**

## ABCDCFGHIJKLAPOPORSTUPWXYZ 1234567890 & & (.,;;) abcdefghijklmnopgrstuvwxyz

ABCetg67

ABC etg 34

36PT 9.1MM

30PT 7.6MM

ABCety 89

ABC efg 45

ABC etg 23

26рт 6.6им

24PT 6.1MM

22PT 5.6

ABC etg 78

ABC etg 456

ABC eigh 789

18pt 4.6mm

16PT 4.1MM

14PT 3.6MM

ABC eigh 1234

ABCD eighi 5678

**ABCB** elghi; 3456

213863040 elginik 56789

12PT 3MM

10pt 2.5mm

8PT 2MM

6PT 1.6MM

#### FRAKTUR

# ABCDEFGFREMNOPORETURERYZ & (.,;:) 1234567890 abcdefghijflmnopqreftuvwryz æøß

ABCefg56

2128C efg 34

36PT 9.5MM

30PT 7.9MM

2123Cefg89

WC efg 34

2128C efg 56

26PT 6.9MM

24PT 6.3MM

22PT 6MM

113C efg 78

**PBC efg 123** 

2128 Eggh 89

18рт 4.5мм

16PT 4.2MM

14PT 3.7MM

ABC efgh 345

21BCD efgh 678

ABCD efghi 1234

MBCDE cighij 45408

12PT 3MM

10рт 2.6мм

8PT 2.1MM

6рт 1.6мм

#### HEBREW S'TAM

## לךםןהץםעפצקרשתחטיכ למנאבגדהוו

גרהוו

גדהוו

בגרהוז

36PT 7.4MM

30PT 6MM

26PT 5,3MM

בגדהוו

בגדהוז

אבגדהוו

אכגדהוו

24PT 4.7MM

22PT 4.4MM

18PT 3.7mm

16PT 3.3MM

אבגדהוז

נאבגדהוו

נאבגדהוו

נאבגרהוז

14PT 2.8MM

12PT 2.5MM

10PT 2.1MM

8PT 1.8MM

ARABIC NASKHI Size shown 36pt, other sizes available.

RUSSIAN Available in the two faces shown, Times Roman and Helvetica Light.

АБВГДЕЖЗИЙКЛМНОПРСТУФХЦ ЧШЩЪЫЬЭЮЯ 1234567890

АБВГДЕЖЗИЙКЛЛМНОПРСТУФХЦ ЧШЩЪЫЬЭЮЯ 1234567890


GREEK Caps only, available in many faces, please enquire.

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ1234567890


ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ 1234567890



### **TYPEHOLDERS**




Standard spring typeholders are supplied in 3 sizes 2, 3 and 4 inch and will accept type from 8pt to 36pt. They are cast from gun metal and machined square inside. The steel backplate is bevelled to a fine edge to aid sighting.




Super rapid typeholders are self centring and accept type from 10pt to 36pt in 4 inch length only. The two jaws are centred when the right hand screw is turned to make side spacing unnecessary.

#### 4

### HANDLE LETTERS



Handle letters can be supplied in any of the brass type styles as shown. The larger point sizes are engraved on domed heads and cut close to the letter form. Smaller letters are filed closely, and right back along the shank, to produce a tool with perfect sighting and ease of use. Finally a sighting line is machined square to the face to aid alignment. Larger letters of up to 72 point are available in a limited number of styles (please enquire).



Birch handles are used on all of our tools for their resistance to splitting, whilst tangs are of smaller size than the shank and are fitted through purpose made domed brass washers to help reduce and deflect the heat from the centre of the handles.

Handle letters are supplied in sets of 40 consisting of A-Z 0-8 (6 used for 9) & AE OE . ,


They are supplied in strong wooden boxes. Individual letters are available if required.



### **BRASS**



Brass dies are manufactured by the same process as our handtools and type, the resulting print being clear and sharp on the softest of leathers. A selection of dies (reduced in size) which we have supplied are shown below. Our handtool patterns can also be produced as dies if required, as can family crests, logos or any custom designs. Quotations will be given on receipt of artworks.





### INDEX OF TYPE STYLES

Pg no.		Pg no.		Pg no.	
88	Academy Condensed	67	Engravers Roman	51	Pascal
72	Arabic Naskhi	67	Engravers Roman	64	Plantin bold
44	Adonis extended		outline	64	Plantin bold condensed
65	Americana extra bold	54	Fournier	63	Playbill
68	American script	71	Fraktur	65	Pretorian
69	American uncial	90	Fraktur (Ungar)	72	Russian
70	Art Nouveau	51	Frutiger	90	Academy Russian
61	Baskerville	44	Gill Sans	50	Rutland
90	Blagovest	54	Gloucester	66	Tiffany extended bold
53	Camberwell	90	Gloucester Russian	66	Tiffany extended light
62	Caslon bold	61	Goudy old style	60	Times Roman
62	Caslon bold condensed	49	Granby condensed	60	Times Roman
88	Caslon Regular	72	Greek		condensed
69	Celtic script	49	Grotesque no. 9	57	Trajan Roman
53	Centaur	72	Hebrew S'tam	47	Univers 49
57	Cheltenham old style	46	Helvetica light	48	Univers 57
56	Chichester italic	46	Helvetica medium	48	Univers 59
55	Chichester light	58	Kent	47	Univers 65
	condensed	68	Mercury light	70	Victoriana
55	Chichester regular	50	News Gothic	56	Winchester old style
45	Coronation		condensed	63	Windsor elongated
45	Devon	71	Old English	58	York
59	Edinburgh	52	Optima	89	17th Century
59	Elizabethan	52	Optima medium	89	18th Century

continued from p3.

Alternatively, in other cases, it can be along the length of an inserted new leather joint so that the straight-grain impressions simulate the creasing of flexed leather. This is a useful technique if the repair leather is much smoother than the texture of the adjacent deteriorated leather on the boards.

The extended range of type faces will be welcomed, especially by those engaged in commercial blocking.

The slightly domed surfaces of P & S tools is an important feature, especially in the case of the larger tools because it facilitates good contact between the centre of the tool and the leather, it enables rocking of the tool which burnishes the gold, and the resulting slightly concave impression creates aesthetic interest.

Finally, I am happy to endorse all Daphne Beaumont-Wright's remarks. (facing page)

Bernard C. Middleton September 1998



### LETTER FROM DAPHNE BEAUMONT-WRIGHT.

For nearly eighteen years - from soon after Roy Pettitt and Brian Skilton started up their own tool making business - we have enjoyed a friendship which I believe has been mutually beneficial.

And it all began with a little wheel.

My first finishing tools had come from Florence where they were cut by hand in a small back room overlooking the Arno by Papa Chelli until suddenly he died. They had included small rolls and fillets all made one third the size - and one third the price! - of the traditional three inch wheel and interchangeable using a specially designed long handled fork.

Over here when I wanted the same for my students, tool makers didn't want to know until I showed my small wheels to Roy and Brian who, as was always the case when I faced them with something different, were always immediately enthusiastic and willing to try them. And they sold!

Nothing I suggested was ever a problem, except possibly, the set of 4pt Edinburgh which nearly destroyed a promising friendship! They learnt to "dome" all the decorative hand tools, the handle letters and the large set of gouges I found illustrated in a French catalogue and a day at Guildford watching fifteen students all tooling, showed them what the different tools were for and the impossibility of using tools - pallets which were too long and gouges and decorative tools which were too flat; letters which were flat and hadn't an accurately angled groove on the shank to help position the impression or spine pallet which was curved like a banana - and the difference when the tools were properly made.

Brian's beautiful draughtsmanship means that they can make a tool from any logo, design, flower or little creature, a pair to an existing tool or part of a design to match the missing original when restoration needs.

This new catalogue is a triumph and contains a wonderful range of continental and UK tools, beautifully engraved, detailed and deeply cut and wheels which are correctly sighted and with handles which are a proper length.

Everything is cheerfully done to make the finishers job an easier one and on behalf of students the world over and myself I must thank Roy and Brian for employing their unique standard of craftsmanship for the benefit of so many bookbinders and wish them at least another eighteen years of well deserved success.

Daphne Beaumont-Wright

July 1998



# FINISHING TOOL CATALOGUE SUPPLEMENT

Since publishing our 80 page catalogue of tools and equipment in 1998 we have continued to produce custom designs when required. Many of these designs have been reproduced from existing 17th and 18th century bindings (or in many cases fragments of bindings in need of restoration).

We have accumulated over 250 handtool and 150 roll masters and thought it was time they were made available to our many customers world-wide.

In addition there are a number of new type/handle letter styles.

The 18th century style taken from Samuel Johnson's "Lives of the English Poets" 1777. A complete set of books was sent to us by Frank Lehmann from the USA, who collaborated with us in the production of this typical 18th century face.

The 17th century face was researched and compiled from a number of bindings from around 1650, by Canadian binder Courtland Benson who supplied us with working drawings, in association with Wesley Baker from the USA and Trevor Lloyd from Wales.

We owe our thanks to the same three binders for their continued help in researching and supplying copies or drawings for many of the designs in this supplement.

The Student set has proved to be a very popular starter set and seems to have taken over from the rather dated Amateur sets.


The Miniature Book set has been requested for a number of years and with the assistance of Maureen Duke we have finally got together a selection of tools suitable for use on miniature books.



нт1656/н нт1657/в

нт1665/н нт1666/р

нт1677/в








нт1689/в нт1690/є нт1691/є нт1692/є нт1693/є нт1694/є нт1695/с нт1695/с нт1696/в нт1697/с нт1698/с нт1699/с нт1700/в









HT1735/F - HT1736/с HT1737/В - HT1738/С - HT1739/D - HT1740/С HT1741/С HT1742/В HT1743/В H11/44/A

**HAND TOOLS** 




нт1772/е нт1773/е нт1774/е н11775/е нт1776/е нт1777/е нт1778/г нт1779/г нт1780/6 нт1781/6 нт1782/в нт1783/в





### •

### HAND TOOLS




### **HAND TOOLS**











H#1866/6

нт1867/с

нт1868/н

нт1869/ј

нт1870/н

















нт1872/у

HT1873/E

нт1874/в

HT1875/6

нт1876/м

нт1877/в


нт1878/с

HT1879/E



















нт1880/в

нт1881/∈

HT1882/E

нт1883/ј

HT1884/J

нт1885/н

нт1886/р

HT1887/н













нт1888/н

нт1889/н

HT1890/F

HT1892/G



















HT1893/D

HT1894/F

HT1895/F

HT1896/6

нт1897/6

ят1898/н

нт1899/н

нт190о/я

















нт1901/в нт1902/и

H11903/k

нт1904/к

нт1905/н

ит1906/в

ят1907/я

















#Т1908/н

нт1909/г

HT1910/F

нт1911/в

HT1912/G

нт1913/б

нт1914/6

вт1915/в



### DECORATIVE WHEELS AND PALLETS

₽₩703/R	ಌಀಀಀಀಀಀಀಀಀ	в <b>w</b> 72¢
Dw704/1	60600060000006000000000000000000000000	DW725
pw705/s		D₩726
pw706/s	<del>}0}0}0}0}0}0}</del>	127שם
оw707/s	STEED AND STATE OF THE STATE OF	pw728
ד/708⊬ק	و المعالى ال	74-
рw709/s	a that a	Dw729
рw710/s	THE THE THE THE THE THE THE T	DW730
Dw711/T	TORONOMONOMONO	pw731
DW712/\$	£04€04€04€04€04€04€04€04€04€04€04€04€0	Dw732
DW713/T	3 → 800 → 80 0 → 80 0 → 80 0 0 → 80 0 0 → 80 0 0 → 80 0 →	5733שם
DW714/R	@ <del>**} \$= @ *****</del>	pw734
DW715/R	2000000000000	DW735
DW716/R	**************************************	¤พ736 ⊅พ73
Dw717/₽	munim	DW738
บพ718/R	333333333333333333333333333333333333333	DW 7381
DW719/T	CATOCATA OCATA OCA	pw739
กพ720/1	CHO X CHO X CHO X C	рw740
DW721/T	करेंगा होते. स्टिंग क्षेत्र	ow741 ow742
DW722/R		pw743/
рw723/s	- OFFICE OF CONTRACTOR OFFICE OF CONTRACTOR OFFICE OF CONTRACTOR OFFICE	DW744

w724/R	SILKILMIZ SILKILMIZ
1725/R	
4726/s	
n727/∀	000000000000000000000000000000000000000
∀728/V	100000000000000000000000000000000000000
ı729/ <b>T</b>	
730/v	紫紫紫紫紫紫紫紫紫紫
₹7 <b>31</b> /∨	()*()*()*()*()*()*()*()*()*()*()*()*()*(
1732/s	com ann ann ann ann ann ann ann ann ann an
1733/R	
√734/s	\$ a.v. ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ ⊗ €
v735/s	
4736/R	***************************************
w737/R	$>\!\!>\!\!>\!\!>\!\!>\!\!>\!\!>\!\!>\!\!>\!\!>\!\!>\!\!>\!\!>\!\!$
w738/s	·
738B/R	
v739/s	
w740/s	***************************************
r741/R	
₹742/R	
743/R	° A ° A ° A ° A ° A ° A ° A ° A ° A ° A
4744/s	**************************************

### **DECORATIVE WHEELS AND PALLETS**

**(** 







### DECORATIVE WHEELS AND PALLETS


рw778/у		Dw793/w	
ภพ <b>779</b> /z	TO NOTE OF THE SECTION OF THE SECTIO	<b>ow</b> 794/y	
DW/80/Y	TO COLOR	บพ795/พ	16 NO NO NO NO
p₩781/x	SONG TOWN	в₩796/x	SALE BEEN
DW782/v	LENEY ENERGY	ъw797/z	外探测器器测发
w783/v	SKEKEKEKE	ธพ798/z	THE REFERENCE
ฏพ784/ช	18261818781	в₩799/ү	
∌w785/y	KE YEAR EY	pw800/x	DEOSON DEOSON
B476571		Dw801/V	BHHOKKKOKK
pw786/x		סאפעע 802/ץ	
		Dw803/x	
ד/788⊬ת		<b>DW8</b> 04/z	
⊅₩789/u			
מ/907wd		อพ805/พ	
อพ791/พ		р₩806/ү	
pw792/v	业产业的批准产业	рw807/x	



**(** 

### **DECORATIVE WHEELS AND PALLETS**

BW809/z Dw811/z DW815/v MARAM VADIADIADIADIA



12/10/2017 16:05

### **(**

### DECORATIVE WHEELS AND PALLETS

pw834/zz DW835/2 Dw836/z ¥1%V\*V\*V\*V\*V\*V\*V\*V\*V\*V\*V\* DW838/z SENDING OF THE STATE OF THE STA DW839/7 E OKO KOKO KOKO KOKO KOKO KO DW840/X THE STATE OF THE S DW841/y THE TOTAL STREET STREET を大学人会と楽とのと楽とのと学と会と学と会し、 を大学とのと学とのと学とのと学とのと学と会し、 を大学とのと学とのと学とのと学とのと学とのと DW843/Y pw844/z DW845/X DW848/x DW846/y DW849/Y



### **CASLON REGULAR**

### ABCDEFGHIJKLMNOPQRSTUVWXYZÆ& abcdefghijklmnopgrstuvwxyz æ 1234567890 (.,;:)

ABCefg 34

ABCefg78

36PT 9.1mm

30PT 7.6MM

ABC efg 23 ABC efg 56

ABCefg90

26PT 6.6MM

24PT 6.1MM

22PT 5.6MM

ABC efg 45

ABC efg 67

ABC efg 78

1891 4.6MM

16PT 4.1MM

14PT 3.6MM

ABC efg 123

ABC efgh 89

ABCD eigh 345

ABCDE digh 6789

12PT 3.0MM

10PT 2.5MM

8PT 2.0mm

6pt 1.6mm

### ACADEMY CONDENSED

## ABCDEFGHIJKLMNOPQRSTUVWXYZ& 234567890 .,'- abcdefghijklmnopqrstuvwxyz

ABCefg46

ABCefg37

ABCefgh58

36PT 8.8MM

30PT 7.4MM

26PT 6.5MM

ABCefghi491

ABCDefgh230

ABCDefghijk180

24PT 6.0mm

22PT 5.5MM

18PT 4.5MM

ABCDEefghijk347

ABCDEXefghijk256

ABCDEFdefghijk3894

16PT 4.0MM

4PT 3,5MM

12PT 3.0MM

ABCDEXYZefghmoxy76302

ABCDEQRSTefghigrstuy3490

ABCDEKI MRSTW5rfghnimcopqrs126890

10PT 2.5MM

8.0PT 2.0MM

6PT 1.5MM



### 18th CENTURY

## 

ABC 45

ABC 89

36PT 9.1MM

30PT 7.6MM

ABC 23

ABC 345

ABC 890

26PT 6.6MM

24PT 6.1MM

22PY 5.6MM

ABCD123

ABCD 4567

ABCD I234

18P1 4.6MM

16PT 4.1MM

14PT 3.6MM

ABCDE 7890

ABCDE 2345

ABCDEF 56789

12PT 3.0MM

10PT 2.5MM

8PT 2.0MM

### 17th CENTURY

## ABCDEFGHIJKLM NOPQRSTUVWXYZ ƌ& 1234567890 -,.'

ABC34

ABC 23

36PT 9.1MM

30PT 7.6MM

ABC 45

ABCI23

ABC 678

26PT 6.6MM

24PT 6.1MM

22pt 5.6mm

ABCD 456

ABCD 6789

ABCD 4567

18PT 4.6MM

16PT 4.1MM

14PT 3.6MM

ABCDE 12345

ABCDE 3456

ABCDEF 56789

12PT 3.0MM

10PT 2.5MM

8pt 2.0mm



### UNGAR FRAKTUR

UBCDEFGHTRLMNDPDRETUBWXY3 1234567890., abedefghijklmnopgrøstuvwryzchekffiflfisskty

UBCefg23

UBCefg34

30PT 7.9MM

UBCefg78 UBCefgh123 UBCefgh789

26PT 6.9MM

24PT 6.3MM

22PT 6.0MM

UBCD efghi 456 UBCD efghi 7890

2136D efghi 4567

18PT 4.5MM

16PT 4.2MM

14PT 3.7mm

UBCDE efghij 123456

UBCDE efghijfl

UBCDE efghiff 567890

12PT 3.0MM

10PT 2.6MM

8PT 2.1MM

### ACADEMY CONDENSED RUSSIAN

SIZES AS ENGLISH ACADEMY

# АБВГДЕЖЗИЙКЛМНОПРСТУФХ ЦЧШЩЪЫЬЭЮЯ 1234567890


BLAGOVEST SIZES AS ACADEMY

абкгавжзийкамнопрстуфх ЦЧШЩЪЫЬ2ЮЯ., 1294567890


> GLOUCESTER RUSSIAN SIZES AS ENGLISH GLOUCESTER


**АБВГДЕЖЗИЙКЛМНОПРСТУФХ** ЦЧШШЪЫБЭЮЯ., 1234568790

### STUDENT SET



### MINIATURE BOOK TOOLS





CAN BE SUPPLIED AS COMPLETE SET OR A COMBINATION OF SMALLER SETS

 $\frac{SET\ 1}{2}$  - ALL TOOLS SHOWN + ONE FONT OF TYPE + QUADS & SPACERS  $\frac{SET\ 2}{3}$  - ONE FONT OF TYPE + TYPEHOLDER + QUADS & SPACERS  $\frac{SET\ 3}{4}$  - CHOICE OF 3 PALLETS + GOUGE/PALLET SET + A OR B POLISHER  $\frac{SET\ 4}{3}$  - CHOICE OF 11 HANDTOOLS  $\frac{SET\ 5}{3}$  - CHOICE OF 7 HANDTOOLS



**BRASS DIES** CAN BE MADE LARGER IF REQUIRED






BD12




































### **ORDERING**

To order please use the enclosed form, which can be sent by post, faxed or alternatively, if help with ordering is required or there are some special instructions, your order can be taken by phone. Orders may also be sent by email, although for security, credit card details should be advised by phone or fax.

When ordering wheels or handtools please write the numbers as shown. The suffix letter is the price code, the prefix HT refers to handtools, DW to decorative wheels and F to fillets. If ordering pallets from wheel designs add a letter P i.e. PDW = decorative pallets, PF = line pallet.

When ordering type we need to know the type style, point size and combination required. When making up existing fonts please send a sample E or Z to ensure accurate alignment and weight of face. Please remember when ordering pallet or gouge sets that the line thickness will be supplied as 1 1/2 point unless otherwise requested.

### Payment

Payments can be made by either cheque (UK only), BACS or credit/debit card (Visa or Mastercard) at time of ordering.

Note:- VAT is chargeable on all inland orders and non VAT registered EC customers. VAT registered EC customers must supply us with their VAT number.

### **Delivery**

Because we have such a large range of tools and type styles it is not practical to carry a great deal of stock. For this reason most items are made to order, we do however try to complete orders within 28 days of receipt, this may be slightly longer during very busy periods. If tools are needed more urgently please tell us when ordering, and we will do our best to meet any deadlines.

<u>Inland</u> deliveries are normally sent by UK carrier service, urgent orders can be sent by timed delivery if required (at additional cost).

Postage is charged at cost, details shown on price list. Goods may also be collected in person and paid for on collection.

Overseas All orders will be sent by the most economical insured service.



### **ELECTRIC FINISHING STOVE**



Our traditional finishing stove is made from hardwearing stainless steel with three aluminium supports for the cast aluminium castellated ring. The unit is a thermostatically controlled catering stove which is very hard wearing and designed for continuous use over long periods. 1.5kw 230V AC 50Hz

### **BRASS ROLL REST**

A solid brass ring used to rest decorative wheels and fillets on the finishing stove, enabling a more even heat distribution.











38A NORWAY STREET
PORTSLADE
EAST SUSSEX BN41 1AE
ENGLAND

TEL/FAX: +44 (0)1273 424801

www.pandsengraving.co.uk email: info@pandsengraving.co.uk

