



## Safety Data Sheet

Material Name: SELVOL™ Polyvinyl Alcohol, homopolymer

SDS ID: SSC10001

---

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

---

**Material Name**

SELVOL™ Polyvinyl Alcohol, homopolymer

**Trade Names**

The following specific grades of SELVOL™ are covered by this SDS:  
103, 107, 125, 165, 165SF, 305, 310, 325, 325LA, 325LA-LH, 350, 825

**Synonyms**

Polyvinyl alcohol, PVA

**Chemical Family**

Ethenol, homopolymer

**Product Use**

Intermediate. surfactant, adhesives, Food/feedstuff additives, Packaging materials, Auxiliary for leather, Auxiliary for textile.

**Restrictions on Use**

None known.

**Manufacturer Information**

Sekisui Specialty Chemicals America, LLC  
1501 LBJ Freeway, Suite 530  
Dallas, TX 75234

**Emergency Phone Numbers:**

In USA: CHEMTREC 800-424-9300

Outside USA: CHEMTREC 703-527-3887 (collect calls accepted)

Phone: +1-972-277-2900

www.sekisui-sc.com

---

### Section 2 - HAZARDS IDENTIFICATION

---

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Combustible Dust

**GHS Label Elements****Symbol(s)**

None needed according to classification criteria

**Signal Word**

Warning

**Hazard Statement(s)**

May form combustible dust concentrations in air



## Safety Data Sheet

Material Name: SELVOL™ Polyvinyl Alcohol, homopolymer

SDS ID: SSC10001

### Precautionary Statement(s)

#### Prevention

None needed according to classification criteria

#### Response

None needed according to classification criteria

#### Storage

None needed according to classification criteria

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

---

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

---

| CAS       | Component Name    | Percent |
|-----------|-------------------|---------|
| 9002-89-5 | Polyvinyl alcohol | > 92    |
| 67-56-1   | Methyl alcohol    | ≤ 0.9   |

---

### Section 4 - FIRST AID MEASURES

---

#### Description of Necessary Measures

Wash thoroughly after handling. Avoid breathing dust. Use only outdoors or in a well-ventilated area.

#### Inhalation

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### Skin

Wash with plenty of soap and water. If skin irritation or rash occurs, seek medical advice/attention. Wash contaminated clothing before reuse.

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Ingestion

If a large amount is swallowed, get medical attention.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

#### Most Important Symptoms/Effects

##### Acute

No information on significant adverse effects.



## Safety Data Sheet

Material Name: SELVOL™ Polyvinyl Alcohol, homopolymer

SDS ID: SSC10001

### Delayed

No information on significant adverse effects.

---

## Section 5 - FIRE FIGHTING MEASURES

---

### Extinguishing Media

#### Suitable Extinguishing Media

carbon dioxide, regular dry chemical, alcohol-resistant foam, water spray.

#### Unsuitable Extinguishing Media

Do not scatter spilled material with high-pressure water streams.

### Special Hazards Arising from the Chemical

Combustible Dust. Dust/air mixtures may ignite or explode. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

### Hazardous Combustion Products

oxides of carbon.

### Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

### Fire Fighting Measures

Avoid inhalation of material or combustion by-products. Move material from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Dike for later disposal. Stay upwind and keep out of low areas.

---

## Section 6 - ACCIDENTAL RELEASE MEASURES

---

### Personal Precautions, Protective Equipment and Emergency Procedures

Avoid contact with skin and eyes. Do not breathe dust. Keep unnecessary people away, isolate hazard area and deny entry. The mixture is slippery when wet.

### Methods and Materials for Containment and Cleaning Up

Avoid generation of dust. Collect spilled material in appropriate container for disposal. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Environmental Precautions

Avoid generation of dust. Remove all sources of ignition. Ventilate affected area. Discharge into the environment must be avoided.



## Safety Data Sheet

Material Name: SELVOL™ Polyvinyl Alcohol, homopolymer

SDS ID: SSC10001

### Section 7 - HANDLING AND STORAGE

#### Precautions for Safe Handling

Use methods to minimize dust. Minimize dust generation and accumulation. Use this material with adequate ventilation. Keep container tightly closed. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid breathing dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

#### Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria

Store at room temperature. Store in original container. Stacking height must not exceed three pallets.

#### Incompatible Materials

reactive metals, oxidizing agents, peroxides, perchlorates, nitrates.

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Component Exposure Limits

|                   |   |
|-------------------|---|
| Polyvinyl alcohol | 9002-89-5   |
| ACGIH:            | 10 mg/m <sup>3</sup> total dust; 3 mg/m <sup>3</sup> respirable dust  |
| OSHA (US):        | 15 mg/m <sup>3</sup> total dust; 5 mg/m <sup>3</sup> respirable dust  |
|                   | 15 mppcf TWA respirable fraction; 5 mg/m <sup>3</sup> TWA respirable fraction; 50 mppcf TWA total dust; 15 mg/m <sup>3</sup> TWA total dust (related to Particulates not otherwise classified (PNOC)) |
| Methyl alcohol    | 67-56-1   |
| ACGIH:            | 200 ppm TWA   |
|                   | 250 ppm STEL  |
|                   | Skin - potential significant contribution to overall exposure by the cutaneous route  |
| NIOSH:            | 200 ppm TWA; 260 mg/m <sup>3</sup> TWA  |
|                   | 250 ppm STEL; 325 mg/m <sup>3</sup> STEL  |
|                   | Potential for dermal absorption   |
|                   | 6000 ppm IDLH   |
| Europe:           | 200 ppm TWA; 260 mg/m <sup>3</sup> TWA  |
|                   | Possibility of significant uptake through the skin  |



## Safety Data Sheet

Material Name: SELVOL™ Polyvinyl Alcohol, homopolymer

SDS ID: SSC10001

|            |  |
|------------|--|
| OSHA (US): | 200 ppm TWA; 260 mg/m <sup>3</sup> TWA                       |
| Mexico:    | 200 ppm TWA LMPE-PPT; 260 mg/m <sup>3</sup> TWA LMPE-PPT     |
|            | 250 ppm STEL [LMPE-CT]; 310 mg/m <sup>3</sup> STEL [LMPE-CT] |
|            | Skin - potential for cutaneous absorption                    |

### Biological limit value

There are no biological limit values for any of this product's components.

### Engineering Controls

Provide local exhaust ventilation system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Wear safety glasses.

#### Skin Protection

Wear appropriate chemical resistant clothing.

#### Respiratory Protection

A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

---

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

---

|                              |                 |                                  |  |
|------------------------------|-----------------|----------------------------------|--|
| <b>Appearance</b>            | granular powder | <b>Physical State</b>            | Solid  |
| <b>Odor</b>                  | odorless        | <b>Color</b>                     | white to off-white                             |
| <b>Odor Threshold</b>        | Not available   | <b>pH</b>                        | 4.5 - 6.5 , conc: 4 %                          |
| <b>Melting Point</b>         | 230 - 240 C     | <b>Boiling Point</b>             | Not available                                  |
| <b>Freezing point</b>        | Not available   | <b>Evaporation Rate</b>          | Not available                                  |
| <b>Boiling Point Range</b>   | Not available   | <b>Flammability (solid, gas)</b> | Minimum Dust Cloud Ignition Temperature 280 °C |
| <b>Autoignition</b>          | Not available   | <b>Flash Point</b>               | Not available                                  |
| <b>Lower Explosive Limit</b> | Not available   | <b>Decomposition</b>             | Not available                                  |
| <b>Upper Explosive Limit</b> | Not available   | <b>Vapor Pressure</b>            | Not available                                  |
| <b>Vapor Density</b>         | Not available   | <b>Specific Gravity</b>          | 1.27 - 1.31 at 20 °C                           |

## Safety Data Sheet

**Material Name:** SELVOL™ Polyvinyl Alcohol, homopolymer

**SDS ID:** SSC10001

| (air=1)                 |  | (water=1)                                     |               |
|-------------------------|--|---|---------------|
| <b>Water Solubility</b> | Soluble in hot water                       | <b>Partition coefficient: n-octanol/water</b> | Not available |
| <b>Viscosity</b>        | Not available                              | <b>Solubility (Other)</b>                     | Not available |
| <b>Bulk Density</b>     | 0.61 - 0.67 g/cm <sup>3</sup> at 20 °C hPa | <b>Density</b>                                | Not available |

### Section 10 - STABILITY AND REACTIVITY

**Reactivity**

No hazard expected.

**Chemical Stability**

Stable under normal conditions of use.

**Possibility of Hazardous Reactions**

Hazardous polymerization will not occur.

**Conditions to Avoid**

Avoid generating dust.

**Incompatible Materials**

reactive metals, oxidizing agents, peroxides, perchlorates, nitrates.

**Hazardous decomposition products**

oxides of carbon

### Section 11 - TOXICOLOGICAL INFORMATION

**Information on Likely Routes of Exposure**

**Inhalation**

No information on significant adverse effects.

**Skin Contact**

No information on significant adverse effects.

**Eye Contact**

No information on significant adverse effects.

**Ingestion**

No information on significant adverse effects.

**Acute and Chronic Toxicity**

**Component Analysis - LD50/LC50**



## Safety Data Sheet

**Material Name:** SELVOL™ Polyvinyl Alcohol, homopolymer

**SDS ID:** SSC10001

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Polyvinyl alcohol (9002-89-5)

LD50 Rat >5000 mg/kg

LC50 Rat >24 mg/L 1 hour

Methyl alcohol (67-56-1)

Oral LD50 Rat 6200 mg/kg

Inhalation LC50 Rat 22500 ppm 8 h

### Immediate Effects

No information on significant adverse effects.

### Delayed Effects

No information on significant adverse effects.

### Irritation/Corrosivity Data

May cause mechanical irritation.

### Respiratory Sensitization

No data available.

### Dermal Sensitization

No data available.

### Component Carcinogenicity

|                   |   |
|-------------------|---|
| Polyvinyl alcohol | 9002-89-5   |
| IARC:             | Supplement 7 [1987]; Monograph 19 [1979] (Group 3 (not classifiable)) |

### Germ Cell Mutagenicity

Ames test found to be negative. No hazard expected.

### Reproductive Toxicity

No hazard expected. See information on methanol.

### Specific Target Organ Toxicity - Single Exposure

None known

### Specific Target Organ Toxicity - Repeated Exposure

None known

### Aspiration hazard

No data available.

### Medical Conditions Aggravated by Exposure

No data available.

## Safety Data Sheet

**Material Name:** SELVOL™ Polyvinyl Alcohol, homopolymer

**SDS ID:** SSC10001

### Section 12 - ECOLOGICAL INFORMATION

**Component Analysis - Aquatic Toxicity**

|                   |  |
|-------------------|--|
| Polyvinyl alcohol | 9002-89-5  |
| Fish:             | LC50 96 hours Danio rerio (Zebra fish) >5000 mg/L; LC50 96 hours Pimephales promelas (Fathead minnow) 40 g/L   |
| Invertebrate:     | EC50 48 hours Daphnia magna 8300 mg/L  |
| Methyl alcohol    | 67-56-1  |
| Fish:             | LC50 96 h Pimephales promelas 28200 mg/L [flow-through]; LC50 96 h Pimephales promelas >100 mg/L [static]; LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flow-through]; LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static]; LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through] |

**Bioaccumulative Potential**

Low.

**Biodegradation**

90%

**Chemical Oxygen Demand (COD)**

Ca. 1700 mgO<sub>2</sub>/g

### Section 13 - DISPOSAL CONSIDERATIONS

**Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations. Product is not an EPA hazardous waste.

### Section 14 - TRANSPORT INFORMATION

**US DOT Information:**

UN/NA #: Not Regulated

**TDG Information:**

UN#: Not Regulated

**IATA Information:**

No Classification assigned.





## Safety Data Sheet

Material Name: SELVOL™ Polyvinyl Alcohol, homopolymer

SDS ID: SSC10001

### Section 15 - REGULATORY INFORMATION

#### U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

|                |                                    |
|----------------|------------------------------------|
| Methyl alcohol | 67-56-1                            |
| SARA 313:      | 1 % de minimis concentration       |
| CERCLA:        | 5000 lb final RQ; 2270 kg final RQ |

#### SARA Section 311/312 (40 CFR 370 Subparts B and C)

**Acute Health:** No **Chronic Health:** No **Fire:** No **Pressure:** No **Reactivity:** No

#### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

| Component      | CAS     | CA  | MA  | MN  | NJ  | PA  |
|----------------|---------|-----|-----|-----|-----|-----|
| Methyl alcohol | 67-56-1 | Yes | Yes | Yes | Yes | Yes |

#### The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects

|                |                                    |
|----------------|------------------------------------|
| Methyl alcohol | 67-56-1                            |
| Repro/Dev. Tox | developmental toxicity , 3/16/2012 |

#### Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

|                |         |
|----------------|---------|
| Methyl alcohol | 67-56-1 |
|                | 1 %     |

#### WHMIS Classification

D2B

#### Component Analysis - Inventory

Polyvinyl alcohol (9002-89-5)

| US  | CA  | EU | AU  | PH  | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN  | NZ  | MX  |
|-----|-----|----|-----|-----|-----------|-----------|----------------|-----------|-----|-----|-----|
| Yes | DSL | No | Yes | Yes | Yes       | No        | Yes            | No        | Yes | Yes | Yes |



## Safety Data Sheet

Material Name: SELVOL™ Polyvinyl Alcohol, homopolymer

SDS ID: SSC10001

Methyl alcohol (67-56-1)

| US  | CA  | EU  | AU  | PH  | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN  | NZ  | MX  |
|-----|-----|-----|-----|-----|-----------|-----------|----------------|-----------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | Yes       | No        | Yes            | No        | Yes | Yes | Yes |

### Section 16 - OTHER INFORMATION

#### HMIS Rating

Health: 1 Fire: 1 Reactivity: Not available

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

#### NFPA Ratings

Health: 1 Fire: 1 Reactivity: Not available

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### Summary of Changes

New SDS: 5/18/15

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

#### Other Information



## Safety Data Sheet

**Material Name: SELVOL™ Polyvinyl Alcohol, homopolymer**

**SDS ID: SSC10001**

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse.

**Disclaimer:**

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.