



CONSERVATOR'S PRODUCTS COMPANY
 5 Corey Road, PO Box 601, Flanders, NJ 07836
 Tel./Fax (973) 927-4855

www.conservators-products.com e-mail: sales@conservators-products.com

**BEVA TEX
 DATA SHEET**

Description:

BEVA TEX is a non-woven polyester fabric coated with BEVA 371 on one side. It is supported on silicone-coated MYLAR. It is designed for the repair and mounting works of paper, framing applications and some repairs of paintings. This product is extremely stable and is pH neutral. It is available in sheets that are 27 inches wide and 36 inches wide. Longer sheets are available upon request

Properties

Adhesive- BEVA 371 b

Thickness: 0.6 mil, 15 microns

Activation temperature: 150 to 160 deg F, 65 to 70 deg C

pH neutral

Fabric – non-woven polyester

Construction: continuous fiber thermally and ultrasonically welded

Weight: 0.95 oz./sq. yard, 30 gm /sq. meter

Tensile strength: 8.5 lbs./ in. MD, 6.5 lbs./in. CD

Color: white

Purity: polyester fiber with no extraneous binders of resins

Reversibility

Heating to 150 deg F allows for manipulation or removal of the BEVA TEX

Hydrocarbon solvents such as odorless mineral spirits release the adhesive from the surface and allow the removal of the BEVA TEX from the work of art leaving no measurable residue.

Stability

The polyester fabric is thermally stable and resistant to aging

The BEVA 371 adhesive has been used since 1970 and is proven to be stable and reversible